

NATURE SAFE® RESEARCH

UNIVERSITY RESEARCH DATA

TITLE: Evaluation of Fungicides and Nature Safe for Control of Fairy Ring and Localized Dry Spots

TEST CONDUCTED BY: Pace Turfgrass Research Institute, San Diego, California, Wendy Gelernter, Ph.D. and Larry J. Stowell, Ph.D., CPAg

COOPERATOR: Eric Lover, Dove Canyon Country Club

I. Introduction and Procedures

This study was conducted to evaluate the efficiency of fungicides, biological control products and Nature Safe when applied curatively for the management of fairy ring and localized dry spots. Plots measuring 5 ft. by 10 ft. were replicated when symptoms first appeared on 6/8. Evaluations were made every two weeks, from 6/8 through 9/9. Percent dry spot damage was calculated visually, while *Agrocybe pediades* and *Bovista plumbea* were determined by counting actual mushrooms and smooth puffball shaped bodies.

Nature Safe resulted in high quality turf that significantly reduced dry spot symptoms as

II. Test Results

compared to the non-treated check. Nature Safe may mask the symptoms of fairy ring/LDS by promoting the growth of healthy turf. Alternatively, it is possible that Nature Safe stimulated the growth of beneficial microorganisms that helped reduce pathogenic microbe populations responsible for fairy ring/LDS symptoms.

PERCENT DRY SPOT DAMAGE

Table 1. Soil Amendments

Product (N-P205-K20)	Rate (T/A)
Fertrell 3-4-3 Bainbridge, PA	4.0
Nature Safe 8-5-5 Cold Spring, KY	1.5
Verdanta EcoVita 7-5-10 Bioworks, Victor, NY Vermicompost 1.2-0-1	1.7
Nature's Way, Seymour, IN + Fertrell 3-4-3	5 + 2

III. Conclusion

Nature Safe can successfully be used as a management tool in controlling localized dry spots and fungal invasion.

DRY SPOT DAMAGE

	Mean % Dry Spot Damage (4 Dates)	Mean # Bovista Puffballs (2 Dates)
Nature Safe	3.3	0.4
Nature Safe + Compete	2.8	2.0
Control Plot	9.6	1.4